


LEADING REGENERATION

Geistlich
Biomaterials



Patient Information

**When your back
teeth are missing**

Back to a healthy smile

Post-operative care is an area where you can contribute to the success of your procedure.

Do's

- › Maintain your oral hygiene and use antibacterial mouth wash as prescribed by your dentist.
 - › Treat swelling with moist-cold pads.
 - › Consult your dentist regarding pain.
 - › Make sure that you visit your dentist for a follow-up appointment.
-
-

Don't's

- › Do not neglect your oral hygiene.
 - › Do not brush or floss at the site of surgery for 1 week after surgery. A toothbrush with especially soft bristles can usually be used for cleaning the teeth in the vicinity of the wound.
 - › Do not drink coffee or alcohol and do not smoke cigarettes for 2–3 days after surgery.
-
-



Dental treatments are a matter of trust

Our experience and expertise is something you can rely on

Over 15 million patients worldwide have been treated with Geistlich biomaterials.¹⁻⁷ Let us share some facts with you about these products:

- › Geistlich products are scientifically proven top quality Swiss biomaterials.
- › Meticulous selection of raw materials, together with a strictly controlled manufacturing process, allows Geistlich biomaterials to conform to high safety requirements and ensures high tolerability.

Geistlich Biomaterials

- › Your worldwide no. 1 reference^{8,9}
 - › Outstanding quality^{10,11}
 - › High biofunctionality¹²⁻¹⁷
- › These natural biomaterials were evaluated in more than 1,400 studies from countries all over the world.¹⁶
 - › The safety has been assessed by international and national authorities.

Why is a treatment beneficial?

Optimized bone height


Basis for stable implants.^{17,18}

Pioneering solution


You may avoid complicated procedures in the future.¹²

Stable outcomes

Preventive procedures following tooth loss save you time and money in the long-term by preventing further grafting procedures.¹⁹



Lack of bone height for restorative measures.



Availability of sufficient bone height for implant placement.

What happens when your back teeth are missing?

After dental extraction, the height and thickness of the jaw bone diminishes. Sufficient bone is essential to ensure the long-term stability of your dental implants.^{17,18}


Gain in bone height

In the back teeth area, a procedure called sinus floor elevation leads to higher bone level for a secure insertion of implants. Your dentist will choose a suitable technique adapted for you and your clinical situation.²⁰

[Do you wish more information?](#)
[Scan the code and watch the video:](#)




How can back teeth be restored?



Lack of bone height

If there is insufficient bone available (↓), implants cannot be firmly anchored.



Sufficient bone height

Geistlich Bio-Oss® and Geistlich Bio-Gide® are the regenerative materials of choice when you need a sinus floor elevation.

Bone regeneration procedures are necessary to establish a sufficient bone height (↑) as a basis for secure implants.

Geistlich Biomaterials

Biomaterials are scaffolds that can be implanted to replace or repair missing tissue.

Biomaterials, such as bone substitutes, collagen membranes and matrices, are used regularly in regenerative dentistry to support the body's own tissue regeneration process effectively.



Geistlich Bio-Oss® promotes effective bone regeneration²¹

- › Providing a foundation for your body to regenerate bone.
- › Made from the mineral part of the bones originating from Australian and New Zealand cattle.
- › Swiss quality, refined through 30 years of experience.



Geistlich Bio-Gide® for uneventful wound healing^{22,23}

- › Provides optimal wound healing properties for effective bone regeneration.²⁵
- › Made of collagen obtained from healthy pigs.
- › Swiss quality, refined through 20 years of experience.

Biomaterials from Geistlich Pharma AG are the most frequently used materials in regenerative dental medicine throughout the world:^{1-9,24}

More than 15 million

Geistlich Bio-Oss®



More than 6.5 million

Geistlich Bio-Gide®



More than 200,000

Geistlich Mucograft®



More than 15,000

Geistlich Fibro-Gide®



Manufacturer

© Geistlich Pharma AG
Business Unit Biomaterials
Bahnhofstrasse 40
CH-6110 Wolhusen
Phone +41 41 492 56 30
Fax +41 41 492 56 39
www.geistlich-biomaterials.com

For more information about our distribution partners:



References

- 1 Europe market report suite for dental bone graft substitutes and other biomaterials, iDATA_EUDBG519_MS, Published in July 2019 by iData Research Inc., 2019 (Market research).
- 2 China market report suite for dental bone graft substitutes and other biomaterials, iDATA_CHDBG518_MS, Published in November 2018 by iData Research Inc., 2018 (Market research).
- 3 Australia market report suite for dental bone graft substitutes and other biomaterials, iDATA_AUDBG518_MS, Published in November 2018 by iData Research Inc., 2018 (Market research).
- 4 India market report suite for dental bone graft substitutes and other biomaterials, iDATA_INDBG518_MS, Published in November 2018 by iData Research Inc., 2018 (Market research).
- 5 South Korea market report suite for dental bone graft substitutes and other biomaterials, iDATA_SKDBG518_MS, Published in November 2018 by iData Research Inc., 2018 (Market research).
- 6 Japan market report suite for dental bone graft substitutes and other biomaterials, iDATA_JPDBG518_MS, Published in November 2018 by iData Research Inc., 2018 (Market research).
- 7 US market report suite for dental bone graft substitutes and other biomaterials, iDATA_USDBG519_MS, Published in January 2019 by iData Research Inc., 2019 (Market research).
- 8 Millennium Research Group, Dental Biomaterials North America, 2018 (Market research).
- 9 Millennium Research Group, Dental Biomaterials Europe, 2016 (Market research).
- 10 MDSAP ISO 13485 Certificate
- 11 EC Certificate of Full Quality Assurance System
- 12 Jung R, et al.: Clin Oral Implants Res 2013 Oct;24(10):1065-73. (Clinical study)
- 13 Buser D, et al.: J Periodontol 2013;84(11):1517-27. (Clinical study)
- 14 Jensen SS, et al.: J Periodontol 2014;85(11):1549-56. (Clinical study)
- 15 Mordenfeld A, et al.: Clin Oral Implants Res 2010;21(9):961-70. (Clinical study)
- 16 NCBI Pubmed, October 2019, Search term: Bio-Oss OR Bio-Gide OR Mucograft OR Fibro-Gide, PubMed Filter "Species: Humans" (836 hits) or "Other animals" (667 hits). (Market research).
- 17 Chrcanovic BR, et al.: Journal of oral rehabilitation. 2014;41(6):443-476. (Clinical study)
- 18 Glauser R, et al.: Clinical implant dentistry and related research 2011;3(4):204-213. (Clinical study)
- 19 Cardaropoli D, et al.: Int J Periodontics Restorative Dent 2015;35(5):677-85. (Clinical study)
- 20 ITI Treatment Guide Volume 5, Sinus Floor Elevation Procedures. (preclinical study)
- 21 Degidi M, et al.: Clin Implant Dent Relat Res 2009;11(3):178-82. (Clinical study)
- 22 Becker J, et al.: Clin Oral Implants Res 2009; 20(7):742-749 (Clinical study)
- 23 Tal H, et al.: Clin Oral Implants Res 2008; 19(3): 295-302 (Clinical study)
- 24 Based on the number of units currently sold. Data on file (Wolhusen, Switzerland)
- 25 Zitzmann NU, et al.: Int J Oral Maxillofac Implants 1997;12(6):844-52. (Clinical study)